


SQT


N72-18415



# APOLLO 13

## PHOTOGRAPHIC DATA PACKAGE

DECEMBER 1970



NATIONAL SPACE SCIENCE DATA CENTER

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION • GODDARD SPACE FLIGHT CENTER, GREENBELT, MD.

## FOREWORD


This Apollo 13 photographic data package has been prepared by the National Space Science Data Center (NSSDC) to provide you with complete information on the photography taken during the Apollo 13 mission and to aid you in the selection of Apollo 13 photographs for review and study. The data package is divided into three parts, each of which includes an introduction explaining that part and a table of contents. These parts are as follows.

- Part I, Apollo 13 Lunar Photography Data Users' Note, contains a description of the photographic data including summaries of the photographic objectives of the Apollo 13 mission, the photographic equipment used, and the coverage and quality offered by the photographs. The format of available data and the procedures for ordering data are also described in the Data Users' Note.
- Part II, Apollo 13 Photography 70-mm and 16-mm Frame Indexes, provides supporting information, in index form, on all the 70-mm and 16-mm photographs taken during the Apollo 13 mission. This part also includes two Photo Index Area Location Diagrams on which areas of the moon have been numbered to facilitate and standardize the identification of lunar photography.
- Part III, Apollo 13 Photographic Catalog, contains proof prints of those 70-mm photographs that are of the earth and moon.

An index map indicating the areas covered by the photographs and an order form for requesting high-quality Apollo 13 photographic reproductions are enclosed with this package.


Investigators in the United States should direct requests for data to the National Space Science Data Center; investigators outside the U.S.A. should direct requests to World Data Center A (WDC-A) for Rockets and Satellites. The addresses and additional information concerning requests is provided in the Format of Available Data and the Ordering Procedures sections of the Data Users' Note.

Your comments on the contents of the Apollo 13 package and on the services offered by NSSDC are invited.



James I. Vette  
Director, NSSDC





**PART I**  
**DATA USERS' NOTE**

**APOLLO 13 LUNAR PHOTOGRAPHY**

**(NSSDC ID No. 70-029A-01)**



**NATIONAL SPACE SCIENCE DATA CENTER**

**NATIONAL AERONAUTICS AND SPACE ADMINISTRATION • GODDARD SPACE FLIGHT CENTER, GREENBELT, MD.**

PART I  
DATA USERS' NOTE

APOLLO 13 LUNAR PHOTOGRAPHY  
(NSSDC ID No. 70-029A-01)

Prepared by:

A. T. Anderson, Acquisition Scientist  
C. K. Michlovitz, Data Services Manager  
K. Hug, Technical Editor

National Space Science Data Center  
Goddard Space Flight Center  
National Aeronautics and Space Administration  
Greenbelt, Maryland 20771

**Page intentionally left blank**



## FOREWORD

The purposes of this Data Users' Note are to announce the availability of Apollo 13 pictorial data and to aid an investigator in the selection of Apollo 13 photographs for study. In addition, this Note can provide guidance in the interpretation of the photographs. As background information, the Note includes brief descriptions of the Apollo 13 mission objectives, photographic equipment, and photographic coverage and quality. The National Space Science Data Center (NSSDC) can provide all forms of photographs described in the section on Format of Available Data.

NSSDC will supply, as resources permit, limited quantities of photographs without charge where they are to be used, first, for specific scientific studies, and, second, for college-level science courses. All requesters should refer to the section on Ordering Procedures for specific ordering instructions. Scientists conducting an investigation that requires photographic data should inform NSSDC of their needs and should identify the nature of their study, their affiliation with a scientific organization, university, or company, and any government contracts they may have for performing the investigation. The Data Center seeks to keep informed of the results of any scientific investigations performed with the use of Apollo photographs. We therefore request that scientists submit reprints of any published papers to the Data Center so that the results of their studies can be made known to other users. It is also requested that in such papers NSSDC be acknowledged as the source of photographic data.

**Page intentionally left blank**

## CONTENTS

	<u>Page</u>
INTRODUCTION .....	I .7
PHOTOGRAPHIC OBJECTIVES .....	I .7
PHOTOGRAPHIC EQUIPMENT .....	I .8
Cameras .....	I .8
Films .....	I .9
Accessories .....	I .10
PHOTOGRAPHIC COVERAGE AND QUALITY .....	I .10
FORMAT OF AVAILABLE DATA .....	I .11
70-mm Photography .....	I .11
16-mm Photography .....	I .12
ORDERING PROCEDURES .....	I .12
ACKNOWLEDGMENTS .....	I .15
BIBLIOGRAPHY .....	I .17
APPENDIXES - Summary of Apollo 13 Photographic Coverage	
Appendix A - 70-mm Photographic Coverage .....	I .21
Appendix B - 16-mm Photographic Coverage .....	I .23



**Page intentionally left blank**

## APOLLO 13 LUNAR PHOTOGRAPHY

### INTRODUCTION

Apollo 13 (1970-029A) was launched from Cape Kennedy, Florida, on April 11, 1970, on a scheduled 10-day lunar landing mission. The spacecraft was inserted into an approximately 100-nautical mile circular earth parking orbit. After orbital insertion, all spacecraft systems were verified, and the translunar injection (TLI) burn was made in preparation for translunar coast. During translunar coast, however, a malfunction occurred in the command service module (CSM). This malfunction resulted in a loss of oxygen that made the fuel cells inoperative, leaving the command module (CM) with batteries normally used only during reentry as the sole power source and with only that oxygen contained in a surge tank and repressurization package. Because the command module was unusable, it was decided to abort the mission, activate the lunar module (LM), power down the command service module, and use the LM systems for life support. The crew remained in the LM and performed a free-return trajectory. Prior to entering the earth's atmosphere, the crew transferred back to the CM and returned to earth on April 17, 1970.

The purposes of this third Apollo lunar landing mission were: (1) to explore the hilly upland Fra Mauro region of the moon; (2) to perform selenological inspection, survey, and sampling of material (possibly 5 billion years old) in the Fra Mauro formation; (3) to deploy and activate an Apollo Lunar Surface Experiments Package (ALSEP); (4) to further develop man's capability to work in the lunar environment; and (5) to obtain photographs of candidate lunar exploration sites. These goals were to be carried out from a near-circular lunar orbit and on the lunar surface at 3°40'17" south latitude, 17°27'3" west longitude, about 95.6 nautical miles east of the Apollo 12 landing point at the Surveyor 3 crater. Because the Apollo 13 mission had to be aborted, it is planned that the mission objectives and similar scheduled scientific studies will be carried out by the crew of Apollo 14.

### PHOTOGRAPHIC OBJECTIVES

The photographic objectives of Apollo 13 were: (1) to photograph "targets of opportunity," i.e., scientifically interesting sites and potential Apollo landing sites as time and circumstances permitted; (2) to obtain photographs of the lunar and command service modules; (3) to obtain vertical and oblique stereo strips of lunar nearside and farside regions of scientific interest; and (4) to record mission operational activities. Because the mission was aborted and, as a result, all photographic equip-

ment could not be used, the photographic objectives were not realized, and only a limited amount of photographic data were obtained.

## PHOTOGRAPHIC EQUIPMENT

### Cameras

The camera equipment carried by Apollo 13 consisted of two 70-mm Hasselblad EL cameras, two 70-mm Hasselblad data cameras, two 16-mm Maurer data acquisition cameras (DAC), one 35-mm lunar surface closeup stereoscopic camera, and one Hycon topographic camera. However, camera use was limited to the two 70-mm Hasselblad EL cameras and the 16-mm DACs.

70-mm Hasselblad EL Cameras. These cameras featured a motor-drive mechanism, powered by two nickel-cadmium batteries, that advanced the film and cocked the shutter whenever the camera was activated. The settings and ranges for equipment on these cameras were:

Lens Focal Length:	80 mm	250 mm
Focus:	91.3 cm (3 ft) to infinity	259.1 cm (8.5 ft) to infinity
Aperture:	f/2.8 to f/22	f/5.6 to f/45
Shutter Speed:	1 sec to 1/500 sec	1 sec to 1/500 sec
Field of View:	37.9° side, 51.8° diagonal	12.5° side, 17.6° diagonal
Film Magazine Capacity:	190 frames B&W, thin base 160 frames color, thin base 100 frames, standard base	

16-mm Maurer Data Acquisition Cameras. Apollo 13 carried two Maurer data acquisition cameras, one in the command module and one in the lunar module. The cameras were used primarily to record engineering data and for continuous-sequence terrain photography. The Maurer cameras weighed 2.8 pounds each, with a 130-foot film magazine attached. They had frame rates of 1, 6, and 12 fps (automatic) and 24 fps (semiautomatic), and shutter speeds of 1/60, 1/125, 1/250, 1/500, and 1/1000 second. Other settings and ranges for equipment on the cameras were:



Lens Focal Length: 18 mm  
Focus: 30.5 cm (12 in.) to infinity  
Aperture: T/2 to T/22  
Field of View: 32.3° horizontal x 23.5° vertical;  
39.2° diagonal  
Film Magazine Capacity: 140 feet, thin base

### **Films**

The films used during the mission were as follows.

#### SO-368 Film (CEX)

Description: Ektachrome MS, color reversal, ASA 64; haze filter required  
Resolution: 80 lines/mm for 1000:1 test object contrast  
Use: terrain and general photography

#### SO-168 Film (HCEX)

Description: Ektachrome EF, high-speed color reversal, ASA 160 for surface and interior photography; no filter required  
Resolution: 80 lines/mm for 1000:1 test object contrast  
Use: surface and interior photography at low light levels

#### 3400 Film (B&W)

Description: Panatomic-X, black and white, ASA 80  
Resolution: 170 lines/mm for 1000:1 test object contrast  
Use: high-resolution terrain photography

## Accessories

Standard accessories for the Apollo 13 photographic equipment included the following.

- A light meter, used with the EL cameras, was an automatic spot meter with a narrow angle of acceptance (limited to  $1^\circ$ ). The scales on the meter were automatically rotated to give the correct aperture and shutter speed settings.
- A right-angle mirror was used on the front of the 16-mm data acquisition camera for bracket-mounted photography.
- A Hasselblad adapter bracket was used to mount the EL camera in the command module rendezvous window. With the 80-mm lens, the camera was aligned along a line pitched up  $12^\circ$  from the X axis; with the 250-mm lens, the camera was aligned along the X axis.
- A power cable was used in the command module to provide power for the 16-mm Maurer cameras.
- A boresight bracket was used on the CM rendezvous window for the 16-mm Maurer camera.
- A sextant adapter was used with the 16-mm Maurer cameras.
- Two types of filters were used. A haze filter (Photar 2A) was used with the SO-368 film. This filter had a cutoff of 3400 Å and less, a transmittance of 100 percent in the visible spectrum, and needed no exposure correction. A red filter (Photar 25A) was used with black and white film to reduce atmospheric haze. This filter had a cutoff of 6000 Å and less, a transmittance of 90 percent for 6500 Å and longer, and an exposure correction of 2.5 stops (needs added exposure).

## PHOTOGRAPHIC COVERAGE AND QUALITY

The orbital and operational photographs obtained during the Apollo 13 mission ranged from good to poor in quality, resolution, and contrast. Only 584 frames of 70-mm photography and 22,073 frames of 16-mm photography were obtained. Of these, there were only two magazines (JJ and L) from which the photographs could be plotted, but a few good low- and medium-oblique photographs were obtained.

Although the Apollo 13 coverage included photographs of the earth, only the lunar photographs are described in this Data Users' Note. For

information on photographs of the earth, please refer to the section on Ordering Procedures.

The Apollo 13 photographic coverage is described in map form on the "Apollo Mission 13 Lunar Photography Index," which accompanies this data package. In the index map, limited photographic coverage is depicted on a mercator projection with an approximate scale of 1:5,500,000 at the equator. The index consists of one sheet that indicates lunar farside crater coverage for targets of opportunity shown on the 70-mm color magazines.

A brief summary of the photographic coverage for only the lunar magazines is given in the appendixes to this DUN. A more complete summary of all photography taken during the Apollo 13 mission is contained in part II of this data package, "Apollo 13 Photography: 70-mm and 16-mm Frame Indexes." At the end of this part are two Photo Index Area Location Diagrams, one for the lunar earthside and one for the lunar farside. On these diagrams, areas of the lunar surface have been numbered in an effort to facilitate and standardize the identification of lunar photography. Part III of this data package, "Apollo 13 70-mm Photographic Catalog," contains proof prints of the higher quality 70-mm lunar photography exposed during the Apollo 13 mission. These prints have been sorted by magazine and frame number.

## **FORMAT OF AVAILABLE DATA**

The Apollo 13 films on file at NSSDC include master positive copies of the original 70-mm and 16-mm films that are stored at the NASA Manned Spacecraft Center (MSC), Houston, Texas. These films were processed by the MSC Photographic Technology Laboratory and constitute the NSSDC master copies. To satisfy requests for photographs, additional (second-generation) working copies have also been prepared. An indication of the standard formats and sizes of Apollo 13 photography available from NSSDC is given below.

### **70-mm Photography**

Reproductions of complete magazines of 70-mm lunar photography can be obtained either (1) as positive or negative film copies on 70-mm black and white roll film or (2) as positive contact black and white paper prints on 70-mm roll paper. Selected frames of 70-mm lunar photography will be processed in limited quantities as 8- x 10-inch black and white paper prints or as contact black and white positive or negative film copies on 4- x 5-inch film sheets. (Color reproductions in the form of contact positive or negative film copies on 4- x 5-inch film sheets or as 8- x 10-inch prints can be obtained for selected frames. However, the



color reproductions will be provided only to those persons performing detailed scientific investigations.)

### **16-mm Photography**

The 16-mm sequence films are available as 16-mm positive or negative color film duplicates. For convenience, the individual 16-mm magazines have been spliced together and are available on one reel. It should be pointed out that these photographs are of poor quality and are suitable only for limited scientific investigation. These films normally will be provided on a 3-month loan basis, although in special instances arrangements can be made for permanent retention.

### **ORDERING PROCEDURES**

When ordering photographic data, please refer to part II, "Apollo 13 Photography: 70-mm and 16-mm Frame Indexes," and indicate:

- Apollo mission number,
- complete frame number(s), e.g., AS13-61-8727,
- form and size of reproduction, e.g., 8 x 10" B&W print or 4 x 5" color positive transparency, and
- other identifying information such as crater or feature names.

The Apollo Lunar Photography Order Form enclosed with this package is provided for the requester's convenience. All parts of the form must be completed to ensure satisfactory request fulfillment. If the photographs are to be used in an ongoing or planned study, this should be indicated in the appropriate place on the form, and some indication of the nature of the study and of whether it is being performed under contract to the government should be given. To assist NSSDC in processing requests for reproductions, please identify all required photography in a single order.

NSSDC will provide reproduction support to individuals and organizations only when the data requested are needed for specific scientific research projects or for use in college-level science courses, in that order. The current policy in satisfying such requests is to furnish limited quantities of reproductions without charge. Nominal charges will be imposed for large and/or multiple orders. When charges are deemed necessary, the requester will be advised of the exact charge and the procedure for making payment before the request is filled. The price

list provided on the order form is intended to give the reader an indication of the per item cost of reproductions in the event charges are necessary.

The Apollo 13 pictures may be reviewed at NSSDC. Inquiries about or requests for photographs from U.S. scientists should be addressed to:

National Space Science Data Center  
Code 601.4  
Goddard Space Flight Center  
Greenbelt, Maryland 20771

Telephone: (301) 982-6695

Requests for photographs from researchers outside the U.S.A. should be directed to:

World Data Center A for Rockets and Satellites  
Code 601  
Goddard Space Flight Center  
Greenbelt, Maryland 20771 U.S.A.

The World Data Center A for Rockets and Satellites is now assisting scientists located outside the United States in acquiring space science data held in U.S. national archives. Since January 2, 1969, it has been located contiguous to NSSDC.

Individuals or organizations that wish to obtain Apollo 13 photographic reproductions for purposes other than use in research projects or college-level science courses should address their requests to:

Public Information Division  
Code FP  
National Aeronautics and Space Administration  
Washington, D.C. 20546

Printed materials to satisfy general information requests are also available from this division.

Representative sets of Apollo photographs suitable for framing can be obtained (at cost) as full-color lithographs from:

Superintendent of Documents  
U.S. Government Printing Office  
Washington, D.C. 20402

Requests should specify NASA Apollo picture sets as follows:

- NASA Picture Set 1, "Apollo - In the Beginning" (\$1.25)
- NASA Picture Set 2, "Men of Apollo" (\$1.00)
- NASA Picture Set 3, "Eyewitness to Space" (\$2.75)
- NASA Picture Set 4, "First Manned Lunar Landing" (\$1.75)
- NASA Picture Set 5, "Man on the Moon" (\$1.00)
- NASA Picture Set 6, "Pinpoint for Science" (\$1.50)

Inquiries or requests regarding pictures of the earth taken during the Apollo missions should be directed to:

Technology Application Center  
University of New Mexico  
Albuquerque, New Mexico 87106

## ACKNOWLEDGMENTS

The Data Center wishes to thank the individuals and organizations responsible for the photographs and supporting data obtained during the Apollo 13 mission. The mission photography was accomplished by the Apollo 13 crew: Astronauts James A. Lovell, Jr., John L. Swigert, Jr., and Fred W. Haise, Jr.

Arrangements to have the photographs and data available through NSSDC were made with the assistance of Dr. Richard Allenby, Associate Director, Lunar Science, Apollo Lunar Exploration Office, NASA Headquarters; Mr. James Sasser, Chief, Mapping Sciences Laboratory, NASA Manned Spacecraft Center; and Mr. David Goldenbaum, Chief, Data Logistics Office, Manned Spacecraft Center. Copies of the photographs, the lunar photography index, and the supporting documentation were furnished by the MSC Photographic Technology Laboratory and the Mapping Sciences Laboratory, respectively.

**Page Intentionally Left Blank**

## BIBLIOGRAPHY

"Apollo 13 Photographic Index, 70 mm and 16 mm," Mapping Sciences Laboratory, Science and Applications Directorate, NASA Manned Spacecraft Center, Houston, Texas, May 15, 1970.

"Final Photographic and TV Operations Plan - Apollo 13," Experiments Section, Mission Operations Branch, Flight Crew Support Division, NASA Manned Spacecraft Center, Houston, Texas, April 3, 1970.

"Report of Apollo 13 Review Board," NASA Apollo 13 Review Board, Edgar M. Cortright, Chairman, National Aeronautics and Space Administration, June 15, 1970.

"The Role of Optics in the Apollo Program," Optical Spectra, 3, No. 5, Sept. - Oct. 1969.

**Page Intentionally Left Blank**

## **APPENDIXES**

Summary of Apollo 13  
Photographic Coverage



**Page Intentionally Left Blank**

# APPENDIX A

## 70-mm Photographic Coverage

Film Type And Size	Magazine	Frame Numbers	Remarks
SO-368 70 mm Color	L	AS13-60-8577 thru 8726	This magazine was photographed with the 250-mm lens during earth orbit, transearth injection, and the single lunar pass with the transearth coast. It includes photographs of the frontside mares, Basin IX, and farside craters 208, 212, 215, 219, 220, 271, 273, 274, 276, 283, 293, 295, 297, and 302.*
	N	AS13-58-8456 thru 8481	This is a short sequence of photographs of the separated service module taken with the 250-mm lens.
SO-168 70 mm B&W	II	AS13-61-8727 thru 8879	This magazine contains small-scale lunar disc-type photographs including Mare Crisium, Mare Smythii, and farside Basin II.*
	JJ	AS13-62-8880 thru 9039	This magazine was photographed with the 80-mm and the 250-mm lenses. It contains photos of the earth crescent; a sequence of 90 percent overlap high obliques covering from 2° to 10° south latitude, from 8° to 15° north latitude, and from 147° to 158° east longitude; Mare Moscoviense; and farside craters 220, 221, 223, and 297.*

\*Farside craters and basins are identified on the "Lunar Farside Chart" published in 1967 by the Aeronautical Chart & Information Center. The names on this chart were adopted from the International Astronomical Union (1935, 1961, and 1964).

# APPENDIX A (continued)

Film Type And Size	Magazine	Frame Numbers	Remarks
3400 70 mm B&W	R	AS13-59-8482 thru 8576	This magazine was taken with the 250-mm lens and contains photographs of the separation of the service module, lunar module jettison, and the earth and lunar discs.

# APPENDIX B

## 16-mm Photographic Coverage

Film Type And Size	Magazine	Frame Numbers	Remarks*
SO-368 16 mm Color	A	1-2282	This magazine contains photos of the lunar module and the command service module taken during translunar coast.
	AA	1-5678	This magazine shows the LM spacecraft interior.
	FF	1-2181	This magazine contains photos of the service module and distant lunar disc photos.
	GG	1-2133	This magazine contains photos of the command module interior.
		2134-3410	These frames contain distant earth and lunar photos.
		3411-5951	These frames are of the spacecraft interior.
	K	1-2600	This magazine was photographed entirely within the spacecraft. These frames are of the lunar module.
		2601-4169	This magazine contains photographs showing the interior of the command module.
		4170-5918	This magazine contains photographs of the tunnel between the CM and the LM and their interiors.

\*Photography of intravehicular activity and of the earth has been edited from the 16-mm film magazines and is not available through NSSDC. This photography can be obtained from NASA's Public Information Division. (See page I.13 for address.)



## **PART II**

# **APOLLO 13 PHOTOGRAPHY**

**70-mm and 16-mm Frame Indexes**



**NATIONAL SPACE SCIENCE DATA CENTER**

**NATIONAL AERONAUTICS AND SPACE ADMINISTRATION • GODDARD SPACE FLIGHT CENTER, GREENBELT, MD.**

Part II

APOLLO 13 PHOTOGRAPHY

70-mm and 16-mm Frame Indexes

Prepared by

Mapping Sciences Laboratory  
Manned Spacecraft Center  
National Aeronautics and Space Administration  
Houston, Texas 77058

Published by

National Space Science Data Center  
Goddard Space Flight Center  
National Aeronautics and Space Administration  
Greenbelt, Maryland 20771

**Page Intentionally Left Blank**

# CONTENTS

	<u>Page</u>
INTRODUCTION .....	II.5
APOLLO 13 HASSELBLAD PHOTOGRAPHY (70-mm) .....	II.7
Magazine II (Frames AS13-61-8727 through 8879) .....	II.7
Magazine JJ (Frames AS13-62-8880 through 9039) .....	II.19
Magazine L (Frames AS13-60-8577 through 8726) .....	II.31
Magazine N (Frames AS13-58-8456 through 8481) .....	II.41
Magazine R (Frames AS13-59-8482 through 8576) .....	II.45
APOLLO 13 SEQUENCE PHOTOGRAPHY (16-mm) .....	II.53
Magazine A (Frames 1 through 2282) .....	II.55
Magazine FF (Frames 1 through 2181) .....	II.56
Magazine GG (Frames 1 through 5951) .....	II.57
Magazine K (Frames 1 through 5918) .....	II.58
Magazine AA (Frames 1 through 5678) .....	II.59
PHOTO INDEX AREA LOCATION DIAGRAM - LUNAR EARTHSIDE CHART .....	II.60
PHOTO INDEX AREA LOCATION DIAGRAM - LUNAR FAR SIDE CHART .....	II.61



**Page Intentionally Left Blank**

## INTRODUCTION

This index contains supporting information about the 70-mm and 16-mm photography taken during the Apollo 13 mission.

For each 70-mm frame, the index presents the information available on: (1) the revolution number, (2) the focal length of the camera, (3) the photo scale at the principal point of the frame, (4) the selenographic coordinates at the principal point of the frame, (5) the approximate tilt of the photo, (6) the percentage of forward overlap (Fwd. O/L) of the frame, (7) the approximate sun angle (medium, low, high), (8) the quality of the photography, and (9) the photo index area (using the Lunar Aeronautical Chart system for the earthside and similar breakdowns on the farside region). A brief description of each frame is also included.

The index to the 16-mm sequence photography includes information concerning the approximate surface coverage of the photographic sequence and a brief description of the principal features shown. A "remarks" column is included to indicate (1) if the sequence is plotted on the photographic index map and (2) the quality of the photography.

Directly following the indexes are two Photo Index Area Location Diagrams, one for the lunar earthside and one for the lunar farside, that have been prepared by the Mapping Sciences Laboratory, Manned Spacecraft Center. On these diagrams, areas of the moon have been numbered to facilitate and standardize the identification of lunar photography. It should be noted that the numbering of the earthside diagram corresponds to that on the Lunar Aeronautical Chart that accompanies this Apollo 13 data package.

The National Space Science Data Center (NSSDC) wishes to thank members of the staff of the Mapping Sciences Laboratory and the personnel of the Lockheed Electronics Company/Aerospace Systems Division for providing their original index pages to NSSDC. The document preparation effort at NSSDC was under the direction of Mr. Arthur T. Anderson

**Page Intentionally Left Blank**

Apollo 13 Hasselblad Photography (70-mm)

MAGAZINE II

Frames AS13-61-8727 through 8879

Magazine II is 70-mm color (SO-168) photography of far distant views of the moon and earth. The quality of the imagery on the 153 frames generally is good. Since most of the exposures are small-scale disc-type views, no plots were made of this magazine.

**Page Intentionally Left Blank**

**APOLLO 13 PHOTOGRAPHY**  
 Magazine ( 11 ) ASI 3-61 Film 70mm (SO-168)  
 Time Reference — GET \_\_\_\_\_ = GMT \_\_\_\_\_

Frame No.	Rev. No.	Camera f Length	Approx. Photo Scale	Principal Point		Approx. Tilt Data	Fwd. O/L	Approx Sun Angle	Photo Quality	Photo Index Area	Description
				Lat	Long						
8727		250mm		Not Plottable					Good		Command Module Visible in Fore-ground w/Lunar Surface & Mare Smythii in Background
8728		"		"					"		Same as Above - Grid on LM Window is Visible Although Blurred
8729		"		"					"		"
8730		"		"					"		Same, Without CM Visible
8731		"		"					"		"
8732		"		"					"		Same With Crater Tsiolkovsky at Lower Left
8733		"		"					"		Same With Farside Basin II at Right Center
8734		"		"					"		"
8735		"		"					"		Same With Basin II in Blurred Area
8736		"		"					"		CM Visible in Foreground, Mare Smythii at Center Right
8737		"		"					"		"
8738		"		"					"		"
8739		"		"					"		"
8740		"		"					"		"
8741		"		"					"		Portion of Lunar Disc Looking East With Mare Smythii
8742		"		"					"		Prominent in Center

**APOLLO 13 PHOTOGRAPHY**  
 Magazine (II) ASI3- 61 Film 70mm (SO-168)  
 Time Reference — GET \_\_\_\_\_ = GMT \_\_\_\_\_

Frame No.	Rev. No.	Camera f Length	Approx. Photo Scale	Principal Point		Approx. Tilt Data	Fwd. O/L	Approx. Sun. Angle	Photo Quality	Photo Index Area	Description
				Lat	Long						
8743		250mm		Not Plottable					Good		Portion of Lunar Disc Looking East With Mare Smythii
8744		"		"					"		Prominent in Center
8745		"		"					"		"
8746		"		"					"		Same as Above, Very Bright Exposure. CM in Foreground
8747		"		"					"		"
8748		"		"					"		Bright Lunar Disc With Mare Crisium at Left Side
8749		"		"					"		Same With Tsiolkovsky at Right
8750		"		"					"		Same Without Tsiolkovsky
8751		"		"					"		Bright Lunar Disc Seen From Eastern Limb
8752		"		"					"		"
8753		"		"					"		"
8754		"		"					"		"
8755		"		"					"		"
8756		"		"					"		"
8757		"		"					"		"
8758		"		"					"		"

**APOLLO 13 PHOTOGRAPHY**  
 Magazine (II) ASI3- 61 Film 70mm (SO-168)  
 Time Reference — GET \_\_\_\_\_ = GMT \_\_\_\_\_

Frame No.	Rev. No.	Camera f Length	Approx. Photo Scale	Principal Point		Approx. Tilt Data	Fwd. O/L	Approx Sun Angle	Photo Quality	Photo Index Area	Description
				Lat	Long						
8759		250mm		Not Plottable					Good		Bright Lunar Disc, Seen From Eastern Limb
8760		"		"					"		"
8761		"		"					"		"
8762		"		"					"		"
8763		"		"					"		"
8764		"		"					"		"
8765		"		"					"		"
8766		"		"					"		"
8767		"		"					"		"
8768		"		"					"		"
8769		"		"					"		"
8770		"		"					"		"
8771		"		"					"		"
8772		"		"					"		"
8773		"		"					"		"
8774		"		"					"		"



**APOLLO 13 PHOTOGRAPHY**  
 Magazine (II) ASI3- 61 Film 70mm (SO-168)  
 Time Reference — GET            = GMT           

Frame No.	Rev. No.	Camera f Length	Approx. Photo Scale	Principal Point		Approx. Tilt Data	Fwd. O/L	Approx Sun Angle	Photo Quality	Photo Index Area	Description
				Lat	Long						
8775		250mm		Not Plottable					Good		Bright Lunar Disc Seen From Eastern Limb
8776		"		"					"		"
8777		"		"					"		"
8778		"		"					"		"
8779		"		"					"		"
8780		"		"					"		Same as Above - Spacecraft Receding From Moon Toward Earth
8781		"		"					"		"
8782		"		"					"		"
8783		"		"					"		"
8784		"		"					"		"
8785		"		"					"		"
8786		"		"					"		"
8787		"		"					"		"
8788		"		"					"		"
8789		"		"					"		"
8790		"		"					"		"

**APOLLO 13 PHOTOGRAPHY**  
 Magazine (II) ASI3- 61 Film 70mm (SO-168)  
 Time Reference — GET \_\_\_\_\_ = GMT \_\_\_\_\_

Frame No.	Rev. No.	Camera f Length	Approx. Photo Scale	Principal Point		Approx. Tilt Data	Fwd. O/L	Approx Sun Angle	Photo Quality	Photo Index Area	Description
				Lat	Long						
8791		250mm		Not Plottable					Good		Bright Lunar Disc as Spacecraft Recedes From Moon Toward Earth
8792		"		"					"		"
8793		"		"					"		"
8794		"		"					"		"
8795		"		"					"		"
8796		"		"					"		"
8797		"		"					"		"
8798		"		"					"		"
8799		"		"					"		"
8800		"		"					"		"
8801		"		"					"		"
8802		"		"					"		"
8803		"		"					"		"
8804		"		"					"		"
8805		"		"					"		"
8806		"		"					"		"

**APOLLO 13 PHOTOGRAPHY**  
 Magazine (II) AS(3- 61 Film 70mm (SO-168)  
 Time Reference — GET \_\_\_\_\_ = GMT \_\_\_\_\_

Frame No.	Rev. No.	Camera f Length	Approx. Photo Scale	Principal Point		Approx. Tilt Data	Fwd. O/L	Approx Sun Angle	Photo Quality	Photo Index Area	Description
				Lat	Long						
8807		250mm		Not Plottable					Good		Bright Lunar Disc as Spacecraft Recedes From Moon Toward Earth
8808		"		"					"		"
8809		"		"					"		"
8810		"		"					"		"
8811		"		"					"		"
8812		"		"					"		"
8813		"		"					Dark		Very Dark - Not Discernible
8814		"		"					Good		Bright Lunar Disc - Smaller and Smaller
8815		"		"					"		"
8816		"		"					"		"
8817		"		"					"		"
8818		"		"					"		"
8819		"		"					"		"
8820		"		"					"		"
8821		"		"					Triple Exposure		Triple Exposure of Bright Lunar Disc
8822		"		"					Good		Lunar Disc

**APOLLO 13 PHOTOGRAPHY**  
 Magazine ( I ) ASI3- 61 \_\_\_\_\_ Film 70mm. (SO-168)  
 Time Reference — GET \_\_\_\_\_ = GMT \_\_\_\_\_

Frame No.	Rev. No.	Camera f Length	Approx. Photo Scale	Principal Point		Approx. Tilt Data	Fwd. O/L	Approx Sun Angle	Photo Quality	Photo Index Area	Description
				Lat	Long						
8823		250mm		Not Plottable					Good		Small Lunar Disc
8824		"		"					"		"
8825		"		"					"		"
8826		"		"					Poor		Earth Crescent Through LM Window With LM Equipment Blurred in the
8827		"		"					"		Foreground "
8828		"		"					"		"
8829		"		"					"		"
8830		"		"					"		"
8831		"		"					"		"
8832		"		"					"		"
8833		"		"					Good		"
8834		"		"					"		"
8835		"		"					"		"
8836		"		"					"		"
8837		"		"					"		Small Bright Lunar Disc
8838		"		"					"		"

**APOLLO 13 PHOTOGRAPHY**  
 Magazine (II) ASI3- 61 Film 70mm (SO-168)  
 Time Reference — GET \_\_\_\_\_ = GMT \_\_\_\_\_

Frame No.	Rev. No.	Camera f Length	Approx. Photo Scale	Principal Point		Approx. Tilt Data	Fwd. O/L	Approx Sun Angle	Photo Quality	Photo Index Area	Description
				Lat	Long						
8839		250mm		Not Plottable					Good		Small Bright Lunar Disc
8840		"		"					"		"
8841		"		"					"		"
8842		"		"					"		Tiny Earth Crescent
8843		"		"					"		"
8844		"		"					"		"
8845		"		"					"		"
8846		"		"					"		Thin Sliver of Moon
8847		"		"					"		One-Quarter of Lunar Disc
8848		"		"					"		Lunar Disc
8849		"		"					"		"
8850		"		"					"		"
8851		"		"					"		"
8852		"		"					"		"
8853		"		"					"		"
8854		"		"					"		"

**APOLLO 13 PHOTOGRAPHY**  
 Magazine ( II) ASI3- 61 Film 70mm (SO-168)  
 Time Reference — GET \_\_\_\_\_ = GMT \_\_\_\_\_

Frame No.	Rev. No.	Camera f Length	Approx. Photo Scale	Principal Point		Approx. Tilt Data	Fwd. O/L	Approx Sun Angle	Photo Quality	Photo Index Area	Description
				Lat	Long						
8855		250mm		Not Plottable					Good		Small Lunar Disc
8856		"		"					"		"
8857		"		"					"		"
8858		"		"					"		"
8859		"		"					"		"
8860		"		"					"		"
8861		"		"					"		"
8862		"		"					Dark		Dark - Not Discernible
8863		"		"					Good		Lunar Disc
8864		"		"					"		Earth Crescent With Thruster in Foreground
8865		"		"					Poor		Lunar Disc With Bright Disc Partially Covering Moon
8866		"		"					Good		Lunar Disc
8867		"		"					"		Earth Crescent With Portion of LM in Foreground
8868		"		"					"		Lunar Disc
8869		"		"					"		"
8870		"		"					"		"

II.17

**APOLLO 13 PHOTOGRAPHY**  
 Magazine (II) AS13- 61 Film 70mm (SO-168)  
 Time Reference — GET \_\_\_\_\_ = GMT \_\_\_\_\_

Frame No.	Rev. No.	Camera f Length	Approx. Photo Scale	Principal Point		Approx. Tilt Data	Fwd. O/L	Approx Sun Angle	Photo Quality	Photo Index Area	Description
				Lat	Long						
8871		250mm		Not Plottable					Good		Lunar Disc
8872		"		"					"		"
8873		"		"					"		"
8874		"		"					"		"
8875		"		"					"		"
8876		"		"					Dark		Inside CM Showing Storage Area
8877		"		"					Very Dark		"
8878		"		"					"		Not Discernible
8879		"		"					"		"

II.18

## MAGAZINE JJ

Frames AS13-62-8880 through 9039

Magazine JJ is 70-mm color (SO-168) photography showing interior and exterior views of the lunar module (LM) and the command module (CM), far distant exposures of earth and lunar discs, and farside coverage of the moon, which is plottable. The quality of the imagery on the 160 frames generally is fair. Most of the photography consists of very small-scale lunar and earth disc exposures.

Frames 8907 through 8923 are high-oblique photos of the farside of the lunar surface, with 90 percent overlap, taken in the areas of  $2.0^{\circ}$  to  $10^{\circ}$  south latitude and  $8.0^{\circ}$  to  $15.0^{\circ}$  north latitude and ranging in longitude from  $147.0^{\circ}$  to  $158.0^{\circ}$  east. Eight frames show crater 297 and the surface area surrounding this crater. Nine exposures cover Mare Moscoviense and craters 220, 221, and 223. The quality of the imagery in this sequence is fair.



**Page Intentionally Left Blank**

**APOLLO 13 PHOTOGRAPHY**  
 Magazine (JJ) AS13-62 \_\_\_\_\_ Film 70mm (SO-168)  
 Time Reference — GET \_\_\_\_\_ = GMT \_\_\_\_\_

Frame No.	Rev. No.	Camera f Length	Approx. Photo Scale	Principal Point		Approx. Tilt Data	Fwd. O/L	Approx. Sun Angle	Photo Quality	Photo Index Area	Description
				Lat	Long						
8880	---	80mm	-----	Not Plottable		-----	----	----	Poor	-----	Interior. Very Dark Photo. Details Not Discernible
8881	---	250mm	-----	"		-----	----	----	Fair	-----	View From Spacecraft Window Of Far Distant Moon Crescent. Rocket Thruster in Foreground.
8882	---	250mm	-----	"		-----	----	----	Fair	-----	Same As For 8881
8883	---	250mm	-----	"		-----	----	----	Fair	-----	Same As For 8881
8884	---	250mm	-----	"		-----	----	----	Fair	-----	Same As For 8881
8885	---	250mm	-----	"		-----	----	----	Fair	-----	Same As For 8881
8886	---	250mm	-----	"		-----	----	----	Fair	-----	Earth Crescent, Cloud Covered
8887	---	250mm	-----	"		-----	----	----	Fair	-----	Earth Crescent, Cloud Covered
8888	---	250mm	-----	"		-----	----	----	Fair	-----	Earth Crescent, Cloud Covered
8889	---	250mm	-----	"		-----	----	----	Fair	-----	Earth Crescent, Cloud Covered
8890	---	80mm	-----	"		-----	----	----	Poor	-----	Very Faint Outline of Circular Opening (Transfer Tunnel to LM)
8891	---	80mm	-----	"		-----	----	----	Poor	-----	Very Faint Outline of Circular Opening (Transfer Tunnel to LM)
8892	---	80mm	-----	"		-----	----	----	Poor	-----	Very Faint Outline of Circular Opening (Transfer Tunnel to LM)
8893	---	250mm	-----	"		-----	----	----	Poor	-----	Faint Image of Moon Crescent
8894	---	250mm	-----	"		-----	----	----	Poor	-----	Faint Image of Moon Crescent
8895	---	250mm	-----	"		-----	----	----	Poor	-----	Faint Image of Moon Crescent

II.21

**APOLLO 13 PHOTOGRAPHY**  
 Magazine (JJ) ASI3- 62 Film 70mm (S0-168)  
 Time Reference — GET \_\_\_\_\_ = GMT \_\_\_\_\_

Frame No.	Rev. No.	Camera f Length	Approx. Photo Scale	Principal Point		Approx. Tilt Data	Fwd. O/L	Approx Sun Angle	Photo Quality	Photo Index Area	Description
				Lat	Long						
8896		250mm		Not Plottable					Poor		Faint Image of Moon Crescent
8897		250mm		"					Poor		Faint Image of Moon Crescent
8898		250mm		"					Poor		Small, Narrow Red Bar, Probably Part of Interior of Spacecraft
8899		250mm		"					Poor		Very Faint Interior View of Spacecraft
8900		250mm		"					Poor		Very Faint Interior View of Spacecraft
8901		250mm		"					Poor		Very Distant Earth Crescent
8902		250mm		"					Poor		Very Distant Earth Crescent
8903		250mm		"					Poor		Very Distant Earth Crescent
8904		250mm		"					Poor		Very Distant Earth Crescent
8905		250mm		"					Poor		Same With Multi-Colored Circular Shape
8906		250mm		"					Poor		Very Distant Earth Crescent
8907		250mm	1/6,362,000	2.0°S	152.7° East	High Oblique	90%	20-30°	Poor	85	5 Frames. Crater 297 on Farside Spacecraft Covers $\frac{1}{4}$ of Frame
8908		250mm	1/6,362,000	2.0°S	152.7° East	High Oblique	90%	20-30°	Poor	85	Crater 297 on Farside Spacecraft Covers $\frac{1}{4}$ of Frame
8909		250mm	1/6,362,000	2.0°S	152.7° East	High Oblique	90%	20-30°	Poor	85	Crater 297 on Farside Spacecraft Covers $\frac{1}{4}$ of Frame
8910		250mm	1/6,362,000	2.0°S	152.7° East	High Oblique	90%	20-30°	Poor	84/85	Crater 297 on Farside Spacecraft Covers $\frac{1}{4}$ of Frame
8911		250mm	1/6,362,000	2.0°S	152.7° East	High Oblique	90%	20-30°	Poor	84/85	Crater 297 on Farside Spacecraft Covers $\frac{1}{4}$ of Frame

**APOLLO 13 PHOTOGRAPHY**  
 Magazine (JJ) AS(3- 62 Film 70mm (SO-168)  
 Time Reference — GET ——— = GMT ———

Frame No.	Rev. No.	Camera f Length	Approx. Photo Scale	Principal Point		Approx. Tilt Data	Fwd. O/L	Approx Sun Angle	Photo Quality	Photo Index Area	Description
				Lat	Long						
8912		250mm	1/5,302,000	2.0°S	151.5° East	High Oblique	90%	20 to 30°	Fair	84/85	3 Frames Crater 297 on Farside Spacecraft Covers Part of Frame
8913		250mm	1/5,454,000	9.0°S	150.0° East	High Oblique	90%	20 to 30°	Fair	84/85	Crater 297 on Farside Spacecraft Covers Part of Frame
8914		250mm	1/5,454,000	10.0° South	147.5° East	High Oblique	90%	20 to 30°	Fair	84	Crater 297 on Farside Spacecraft Covers Part of Frame
8915		250mm	1/7,952,000	15.0° North	161.5° East	High Oblique	90%	20 to 30°	Fair	67	9 Frames Sea of Moscow & Crater 220, 221, 223 on Farside
8916		250mm	1/7,952,000	18.0° North	158.0° East	High Oblique	90%	20-30°	Fair	67	Sea of Moscow & Crater 220, 221, 223 on Farside
8917		250mm	1/7,952,000	18.0° North	158.0° East	High Oblique	90%	20-30°	Fair	67	Sea of Moscow & Crater 220, 221, 223 on Farside
8918		250mm	1/7,952,000	8.0° N	156.0° East	High Oblique	90%	20-30°	Fair	67	Sea of Moscow & Crater 220, 221, 223 on Farside
8919		250mm	1/7,952,000	15.0° North	155.0° East	High Oblique	90%	20-30°	Fair	67	Sea of Moscow & Crater 220, 221, 223 on Farside
8920		250mm	1/7,952,000	15.0° North	155.0° East	High Oblique	90%	20-30°	Fair	67	Sea of Moscow & Crater 220, 221, 223 on Farside
8921		250mm	1/7,952,000	10.0° North	158.0° East	High Oblique	90%	20-30°	Fair	67	Sea of Moscow & Crater 220, 221, 223 on Farside
8922		250mm	1/7,952,000	15.0° North	155.0° East	High Oblique	90%	20-30°	Fair	67	Sea of Moscow & Crater 220, 221, 223 on Farside
8923		250mm	1/7,952,000	15.0° North	155.0° East	High Oblique	90%	20-30°	Fair	67	Sea of Moscow & Crater 220, 221, 223 on Farside
8924		250mm		Not Plottable					Fair		5 Frames Very Distant Views of Moon
8925		250mm		"					Fair		Very Distant View of Moon
8926		250mm		"					Fair		Very Distant View of Moon
8927		250mm		"					Fair		Very Distant View of Moon

**APOLLO 13 PHOTOGRAPHY**  
 Magazine (JJ) ASI3- 62 Film 70mm (SO-168)  
 Time Reference — GET \_\_\_\_\_ = GMT \_\_\_\_\_

Frame No.	Rev. No.	Camera f Length	Approx. Photo Scale	Principal Point		Approx. Tilt Data	Fwd. O/L	Approx Sun Angle	Photo Quality	Photo Index Area	Description
				Lat	Long						
8928		250mm		Not Plottable					Fair		Very Distant View of Moon
8929		80mm		"					Good		Interior of Spacecraft. Emergency Rig Lithium Hydroxide Unit
8930		80mm		"					Good		Interior of Spacecraft. Emergency Rig Lithium Hydroxide Unit
8931		80mm		"					Poor		Interior-Unidentifiable Dark Imagery
8932		80mm		"					Poor		Interior-Unidentifiable Dark Imagery
8933		250mm		"					Poor		Very Distant View of Moon
8934		250mm		"					Poor		Very Distant View of Moon
8935		80mm		"					Poor		Interior of Spacecraft, Transfer Tunnel
8936		80mm		"					Poor		Lithium Hydroxide Unit and Hatch Cover in Background
8937		250mm		"					Poor		Distant View of Moon
8938		250mm		"					Poor		Distant View of Moon
8939		250mm		"					Poor		Distant View of Moon
8940		250mm		"					Poor		Distant View of Moon
8941		250mm		"					Poor		RCS Quad Thruster
8942		250mm		"					Poor		Sun Glint Off Spacecraft
8943		250mm		"					Poor		Earth Crescent

II.24

**APOLLO 13 PHOTOGRAPHY**  
 Magazine (JJ) ASI3-62 Film 70mm (SO-168)  
 Time Reference — GET — = GMT —

Frame No.	Rev. No.	Camera f Length	Approx. Photo Scale	Principal Point		Approx. Tilt Data	Fwd. O/L	Approx Sun Angle	Photo Quality	Photo Index Area	Description
				Lat	Long						
8944		80mm		Not Plottable					Poor		Very Dark Interior
8945		250mm		"					Poor		View From LM to CM
8946		250mm		"					Poor		View From LM to CM
8947		250mm		"					Poor		3 Frames. Distant Views of Earth
8948		250mm		"					Poor		Distant View of Earth
8949		250mm		"					Poor		Distant View of Earth
8950		250mm		"					Poor		4 Frames. Distant Views of Moon
8951		250mm		"					Poor		Distant View of Moon
8952		250mm		"					Poor		Distant View of Moon
8953		250mm		"					Poor		Distant View of Moon
8954		250mm		"					Poor		Earth Crescent With RCS Quad in Foreground
8955		80mm		"					Poor		Interior View of Spacecraft
8956		250mm		"					Poor		Earth Crescent
8957		250mm		"					Poor		Earth Crescent
8958		250mm		"					Poor		Dark. Imagery Not Recognizable
8959		250mm		"					Poor		Dark. Imagery Not Recognizable

11.25

**APOLLO 13 PHOTOGRAPHY**  
 Magazine (JJ) AS13-62 \_\_\_\_\_ Film 70mm (S0-168)  
 Time Reference — GET \_\_\_\_\_ = GMT \_\_\_\_\_

Frame No.	Rev. No.	Camera f Length	Approx. Photo Scale	Principal Point		Approx. Tilt Data	Fwd. O/L	Approx Sun Angle	Photo Quality	Photo Index Area	Description
				Lat	Long						
8960		250mm		Not Plottable					Poor		Parts of Exterior of Spacecraft. Earth Crescent in Background.
8961		250mm		"					Poor		Parts of Exterior of Spacecraft. Earth Crescent in Background.
8962		250mm		"					Poor		3 Frames. Distant Views of Moon.
8963		250mm		"					Poor		Distant View of Moon.
8964		250mm		"					Poor		Distant View of Moon.
8965		250mm		"					Poor		Exterior of CM
8966		250mm		"					Poor		Dark Image of Moon & Sections of Window
8967		250mm		"					Poor		Moon & Sections of Window
8968		250mm		"					Poor		5 Frames. Bright Earth Crescent
8969		250mm		"					Poor		Bright Earth Crescent
8970		250mm		"					Poor		Same With Spacecraft Exterior
8971		250mm		"					Poor		Same With Spacecraft Exterior
8972		250mm		"					Poor		Bright Earth Crescent
8973		250mm		"					Poor		View of CM With Bright Sun Reflection
8974		250mm		"					Poor		View of CM With Bright Sun Reflection
8975		250mm		"					Poor		Dark. Single Small Strip of Color.

II.26

**APOLLO 13 PHOTOGRAPHY**  
 Magazine (JJ) ASI3- 62 Film 70mm (S0-168)  
 Time Reference — GET — = GMT —

Frame No.	Rev. No.	Camera f Length	Approx. Photo Scale	Principal Point		Approx. Tilt Data	Fwd. O/L	Approx Sun Angle	Photo Quality	Photo Index Area	Description
				Lat	Long						
8976		250mm		Not Plottable					Poor		CM From LM
8977		250mm		"					Poor		View of Earth Crescent
8978		250mm		"					Poor		View of Moon
8979		250mm		"					Poor		View of Earth Crescent
8980		250mm		"					Poor		View of Earth Crescent
8981		250mm		"					Poor		View of Earth Crescent
8982		250mm		"					Poor		View of Earth Crescent
8983		250mm		"					Poor		View of Earth Crescent
8984		250mm		"					Poor		View of Earth Crescent
8985		250mm		"					Poor		View of Earth Crescent.
8986		250mm		"					Poor		View of Moon
8987		250mm		"					Poor		View of Moon
8988		80mm		"					Poor		Interior View Showing Astronauts' Suits
8989		80mm		"					Poor		Interior View Showing Astronauts' Suits
8990		80mm		"					Poor		Interior View Showing Astronauts' Suits
8991		250mm		"					Poor		View of Moon

II.27



**APOLLO 13 PHOTOGRAPHY**  
 Magazine (JJ) AS13- 62 Film 70mm (SO-168)  
 Time Reference — GET \_\_\_\_\_ = GMT \_\_\_\_\_

Frame No.	Rev. No.	Camera f Length	Approx. Photo Scale	Principal Point		Approx. Tilt Data	Fwd. O/L	Approx Sun Angle	Photo Quality	Photo Index Area	Description
				Lat	Long						
8992		250mm		Not Plottable					Poor		View of Moon
8993		250mm		"					Poor		View of Earth Crescent
8994		250mm		"					Poor		View of Earth Crescent
8995		250mm		"					Poor		View of Earth Crescent
8996		250mm		"					Poor		View of Earth Crescent
8997		250mm		"					Poor		View of Earth Crescent
8998		250mm		"					Poor		View of Earth Crescent
8999		250mm		"					Poor		View of Earth Crescent
9000		250mm		"					Poor		View of Moon
9001		250mm		"					Poor		View of Moon
9002		250mm		"					Poor		View of Moon
9003		80mm		"					Good		Interior View. Swigert & Lovell Working on Air Lines
9004		80mm		"					Good		Interior View. Swigert & Lovell Working on Air Lines
9005		80mm		"					Good		Interior View. Swigert & Lovell Working on Air Lines
9006		250mm		"					Poor		View of Moon. Very Small Scale
9007		250mm		"					Poor		View of Moon. Very Small Scale

**APOLLO 13 PHOTOGRAPHY**  
 Magazine (JJ) AS13- 62 Film 70mm (SO-168)  
 Time Reference — GET \_\_\_\_\_ = GMT \_\_\_\_\_

9 of 10

11.29

Frame No.	Rev. No.	Camera f Length	Approx. Photo Scale	Principal Point		Approx. Tilt Data	Fwd. O/L	Approx Sun Angle	Photo Quality	Photo Index Area	Description
				Lat	Long						
9008		250mm		Not Plottable					Poor		View of Moon. Very Small Scale
9009		250mm		"					Poor		View of Moon. Very Small Scale
9010		250mm		"					Poor		View of Moon. Very Small Scale
9011		250mm		"					Poor		View of Earth Crescent
9012		250mm		"					Poor		View of Earth Crescent
9013		250mm		"					Poor		View of Earth Crescent
9014		250mm		"					Poor		View of Earth Crescent
9015		250mm		"					Poor		View of Moon
9016		250mm		"					Poor		View of Moon
9017		250mm		"					Poor		View of Moon
9018		250mm		"					Poor		View of Earth Crescent
9019		250mm		"					Poor		View of Earth Crescent
9020		250mm		"					Poor		View of Earth Crescent
9021		250mm		"							View of Moon
9022		250mm		"							View of Moon
9023		250mm		"							View of Moon

**APOLLO 13 PHOTOGRAPHY**  
 Magazine (JJ) AS13-62 Film 70mm (SO-168)  
 Time Reference — GET \_\_\_\_\_ = GMT \_\_\_\_\_

Frame No.	Rev. No.	Camera f Length	Approx. Photo Scale	Principal Point		Approx. Tilt Data	Fwd. O/L	Approx Sun Angle	Photo Quality	Photo Index Area	Description
				Lat	Long						
9024		250mm		Not Plottable					Poor		Distant View of Earth
9025		250mm		"					Poor		Distant View of Earth
9026		250mm		"					Poor		Distant View of Earth
9027		250mm		"					Poor		Distant View of Earth
9028		250mm		"					Poor		Distant View of Earth
9029		80mm		"					Poor		Interior of Spacecraft
9030		80mm		"					Poor		Interior of Spacecraft
9031		250mm		"					Fair		View of CM From LM
9032		250mm		"					Fair		View of CM From LM
9033		250mm		"					Poor		View of Earth
9034		250mm		"					Poor		View of Earth
9035		250mm		"					Poor		View of Moon
9036		250mm		"					Poor		View of Earth
9037		250mm		"					Poor		View of Earth
9038		250mm		"					Poor		View of Earth
9039		250mm		"					Poor		Blurred Imagery of Window Frame

NASA — MSC

11.30

## MAGAZINE L

Frames AS13-60-8577 through 8726

Magazine L is 70-mm CEX (SO-368) photography taken with a 250-mm lens. The 150 frames include photographs taken during earth orbit on into transearth injection (TEI). The frames of plottable coverage of the lunar surface are 8629 through 8668.

The beginning of the magazine was exposed while the spacecraft was in earth orbit and reveals Baja California and the mainland of Southeast Asia in a series of photos. The docking sequence of the lunar module is also shown. Most of these frames are good exposures.

The next set of photographs in this magazine are some of the few frames made during Apollo 13 that include lunar surface coverage that could be plotted. These photographs are of the lunar farside and offer good coverage of the equatorial area from 170.0° east to 90.0° east longitude. Several high obliques were taken that cover crater Tsiolkovsky and Mare Moscovienne.

The remainder of this magazine is concentrated on transearth coast (TEC). Most of the frames show an eastern look at the receding lunar sphere, with a few photographs of the distant earth crescent.

**Page Intentionally Left Blank**

## APOLLO 13 PHOTOGRAPHY

Magazine ( L ) AS13- 60- Film 70mm CEX (SO 368)

Time Reference — GET — = GMT —

Frame No.	Rev. No.	Camera f Length	Approx. Photo Scale	Principal Point		Approx. Tilt Data	Fwd. O/L	Approx Sun Angle	Photo Quality	Photo Index Area	Description
				Lat	Long						
8577		250mm		Not Plottable					Fair		Horizon View of Earth Over Water
8578		"		"					Good		Southern End of Baja California With Mexican Mainland in Background
8579		"		"					"		Docking Sequence of Lunar Module
thru 8581		"		"					"		"
8582		"		"					"		Close up of LM w/S IV B*Seen in Background
8583		"		"					"		S IV B*With LM RCS (Thrusters) in Foreground
thru 8587		"		"					"		"
8588		"		"					"		Earth Disc With Terminator at Gulf of Mexico; Baja Calif. & W. Mexico at Center
8589		"		"					"		Probably S IV B*in Distance
8590		"		"					"		Earth Disc W/Terminator off West Coast of U. S. Storm Cloud Formation.
8591		"		"					"		Earth Disc with Pacific Cold Front Seen in Cloud Formation. Mainland
thru 8600		"		"					"		of Asia on horizon. Yellow Sea, Korea, S. E. Asia Visible in Last Frame
8601		"		"					"		Earth Disc. Florida, Yucatan Seen Between Cloud Formations
8602		"		"					"		Part of S. America Seen Faintly
8603		"		"					Poor		Dark
8604		"		"					"		Dark

## APOLLO 13 PHOTOGRAPHY

Magazine ( L ) AS13- 60- Film 70mm .GEX (SO 368)

Time Reference — GET — = GMT —

Frame No.	Rev. No.	Camera f Length	Approx. Photo Scale	Principal Point		Approx. Tilt Data	Fwd. O/L	Approx Sun Angle	Photo Quality	Photo Index Area	Description
				Lat	Long						
8605		250mm		Not Plottable					Poor		Terminator-Horizon on Moon, Very Faint
8606		"		"					"		Same as Above Slightly Brighter
8607		"		"					"		Very Faint Lunar Surface Not Discernible
thru 8624		"		"					"		"
8625		"		"		High Oblique			Good		Lunar Horizon With Crater Tsiolkovsky at Center
8626		"		"		"			"		"
8627		"		"					Poor		Very Faint Lunar Features
8628		"		"					"		"
8629		"	1:4,000,000	7.5°S	137.5°E	Near Vertical	50%	20-30°	Fair	84	Midway Between Craters 288 and 293, Farside
8630		"	"	6.5°S	138.5°E	"	"	"	"	"	"
8631		"	"	4.5°S	134.5°E	"	0%	"	"	"	N.E. Tsiolkovsky Lunar Farside
8632		"	"	7.5°S	127°E	NE	"	"	"	"	N. Tsiolkovsky Lunar Farside
8633		"		Not Plottable		High Oblique	95%	"	"	"	Farside Crater Tsiolkovsky
8634		"		"		"	"	"	"	"	"
8635		"	1:4,500,000	9.5°S	163°E	"	80%	"	"	85	Horizon Photo of Crater 302
8636		"	"	4.5°S	157°E	"	"	"	"	"	Farside Oblique Crater 302

II.34

**APOLLO 13 PHOTOGRAPHY**  
 Magazine ( L ) ASI3- 60 Film 70mm CEX (SO-368)  
 Time Reference — GET \_\_\_\_\_ = GMT \_\_\_\_\_

Frame No.	Rev. No.	Camera f Length	Approx. Photo Scale	Principal Point		Approx. Tilt Data	Fwd. O/L	Approx Sun Angle	Photo Quality	Photo Index Area	Description
				Lat	Long						
8637		250mm	1:4,000,000	15.5° South	128° E	High Oblique	70%	25-35°	Good	101	Farside Crater Tsiolkovsky
8638		"	"	19° S	121° E	"	70%	"	"	"	"
8639		"	"	13° S	107° E	"	80%	"	"	82	Farside Lunar Horizon-Craters 271,274,276
8640		"	"	4.5° S	106° E	"	80%	"	"	"	Farside Crater 273
8641		"	"	5.5° S	108.5° East	"	80%	"	"	"	Farside Craters 273 & 276
8642		"	"	5° S	122° E	Med. Oblique	0%	"	"	83	Farside Crater 283
8643		"	"	19.5° S	115.5° East	High Oblique	40%	"	"	101	Farside Lunar Horizon-Crater 272
8644		"	"	Not Plottable		"	40%	"	"	"	"
8645		"	"	16° S	106° E	"	85%	"	"	100	"
8646		"	"	14° S	109.5° East	"	85%	"	"	82	"
8647		"	"	18° N	152° E	"	50%	"	"	49	Oblique Near Mare Moscovienne
8648		"	"	24° N	144° E	"	50%	"	"	48	Oblique of Mare Moscovienne
8649		"	"	9° N	162.5° East	"	20%	"	"	68	Farside Lunar Horizon-Crater 220
8650		"	"	20° N	157.5° East	"	20%	"	"	50	Farside Lunar Horizon-Crater 219
8651		"	"	16.5° N	151.5° East	"	90%	"	"	50	Farside Lunar Horizon
8652		"	"	11° N	150.5° East	"	90%	"	"	68	Farside Lunar Horizon-Basin IX



**APOLLO 13 PHOTOGRAPHY**  
 Magazine (L) AS13-60 Film 70mm CEX (SO 368)  
 Time Reference — GET — = GMT —

Frame No.	Rev. No.	Camera f Length	Approx. Photo Scale	Principal Point		Approx. Tilt Data	Fwd. O/L	Approx Sun Angle	Photo Quality	Photo Index Area	Description
				Lat	Long						
8653		250mm	1:4,000,000	26°N	130°E	High Oblique	0%	30-40°	Good	48	Mare Moscoviense
8654		"	"	6°S	141°E	"	"	"	"	84	Lunar Horizon W/Crater 293
8655		"	"	10°N	130°E	Low Oblique	"	"	"	65	Lunar Farside Crater 215
8656		"	1:4,500,000	25°N	135°E	High Oblique	"	"	"	48	High Oblique Above Mare Moscoviense
8657		"		Not Plottable		"		"	"		North of LOC Area, Not Identified
8658		"	1:4,500,000	19°S	129°E	"	95%	"	"	101	Farside Crater Tsiolkovsky
8659		"	"	19.5°S	129°E	"	"	"	"	"	"
8660		"	"	10°S	148.5° East	"	0%	"	"	85	Farside Craters 295 & 297
8661		"	1:7,500,000	10°N	131°E	Med. Oblique	15%	"	"	66	Farside Crater 215
8662		"	"	1°N	133.5° East	"	"	"	"	"	Farside Low Oblique
8663		"	"	11.5° North	123.5° East	Near Vertical	90%	"	"	65	Farside Crater 212
8664		"	"	11°N	123°E	"	"	"	"	"	"
8665		"	"	11°N	119.5° East	Low Oblique	75%	"	"	"	Farside Craters 212 & 208
8666		"		Not Plottable		High Oblique		"	"		High Oblique Toward North Off of LOC
8667		"	1:7,500,000	15.5° North	144°E	"	0%	"	"	66	Farside High Oblique
8668		"	"	1.5°N	125.5° East	Near Vertical	"	"	"	65	Lunar Farside Part of Crater 211

**APOLLO 13 PHOTOGRAPHY**  
 Magazine ( L ) ASI3- 60 Film 70mm CEX (SO 368)  
 Time Reference — GET ——— = GMT ———

Frame No.	Rev. No.	Camera f Length	Approx. Photo Scale	Principal Point		Approx. Tilt Data	Fwd. O/L	Approx Sun Angle	Photo Quality	Photo Index Area	Description
				Lat	Long						
8669		250mm		Not Plottable					Good		High Oblique Across Mare Australe
8670		"		"					"		Quarter Disc-Mare Crisium, Mare Marginis, Crater Joliot-Curie
8671		"		"					"		Mare Crisium, Mare Marginis, Mare Smythii, Crater Joliot-Curie
8672		"		"					"		Mare Tranquillitatis, Serenitatis, Bright Crater Proclus in Foreground
8673		"		"					"		Mare Crisium, Part of Tranquillitatis, All of Mare Serenitatis
8674		"		"					"		Mare Australe (upper right) Mare Frigoris at Left Near Horizon
8675		"		"					"		Bruno-Bright Crater, and J. Curie
8676		"		"					"		Mare Smythii at Lower Left
8677		"		"					"		Bruno at Very Top
8678		"		"					"		Langrenus at Lower Right. Fecunditatis and Tranquillitatis at Right Side
8679		"		"					"		Langrenus at Lower Right. Mare Nectaris at Upper Center
8680		"		"					"		Mare Crisium Lower Center With Tranquillitatis and Serenitatis Above
8681		"		"					"		Tsiolkovsky With Mare Australe At Right Corner
8682		"		"					"		Bright Crater Bruno. Mare Crisium is at Lower Left
8683		"		"					"		Crisium, Tranquillitatis, Fecunditatis, Serenitatis
8684		"		"					"		"

II.37

**APOLLO 13 PHOTOGRAPHY**  
 Magazine ( L ) ASI3- 60 Film 70mm CEX (SO 368)  
 Time Reference — GET — = GMT —

6 of 8

Frame No.	Rev. No.	Camera f Length	Approx. Photo Scale	Principal Point		Approx. Tilt Data	Fwd. O/L	Approx Sun Angle	Photo Quality	Photo Index Area	Description
				Lat	Long						
8685		250mm		Not Plottable					Good		Mare Crisium at Center With Bright Crater Proclus
8686		"		"					"		Humboldt at Left Edge. Fecundatis at Bottom Center
8687		"		"					"		Crater Langrenus at Bottom Center
8688		"		"					"		Mare Australe at Top, Humboldt Crater at Left Center. Mare Nectaris lower right
8689		"		"					"		Mare Nectaris at Right Edge
8690		"		"					"		Mare Nectaris at Bottom Right
8691		"		"					"		Mare Crisium at Upper Right
8692		"		"					"		Mare Australe Right. Craters Hercules & Atlas at Lower Center
8693		"		"					"		Front Side Mares
8694		"		"					"		Mare Crisium at Left Center. Bruno Crater at Upper Right
8695		"		"					"		Mare Nectaris at Right Edge
8696		"		"					"		Looking East Past Mare Crisium
8697		"		"					"		Looking Northeast Past Mare Crisium
8698		"		"					"		Lunar Disc
8699		"		"					"		Tsiolkovsky Visible
8700		"		"					"		Lunar Disc

II.38

**APOLLO 13 PHOTOGRAPHY**  
 Magazine ( L ) ASI3- 60 Film 70mm CEX (SO 368)  
 Time Reference — GET \_\_\_\_\_ = GMT \_\_\_\_\_

Frame No.	Rev. No.	Camera f Length	Approx. Photo Scale	Principal Point		Approx. Tilt Data	Fwd. O/L	Approx Sun Angle	Photo Quality	Photo Index Area	Description
				Lat	Long						
8701		250mm		Not Plottable					Good		Lunar Disc With Very Rough Region Near South Pole
8702		"		"					"		Half the Lunar Disc
8703		"		"					"		Lunar Disc
8704		"		"					"		"
8705		"		"					"		"
8706		"		"					Blurred		Undiscernible
8707		"		"					Good		Lunar Disc
8708		"		"					"		"
8709		"		"					"		"
8710		"		"					"		"
8711		"		"					"		"
8712		"		"					"		"
8713		"		"					"		"
8714		"		"					"		"
8715		"		"					"		"
8716		"		"					"		Quarter Earth With Cloud Cover

II.39

**APOLLO 13 PHOTOGRAPHY**  
 Magazine ( L ) AS13-60 Film 70mm CEX (SO 368)  
 Time Reference — GET \_\_\_\_\_ = GMT \_\_\_\_\_

8 of 8

II.40

Frame No.	Rev. No.	Camera f Length	Approx. Photo Scale	Principal Point		Approx. Tilt Data	Fwd. O/L	Approx Sun Angle	Photo Quality	Photo Index Area	Description
				Lat	Long						
8717		250mm		Not Plottable					Good		Quarter Earth With Cloud Cover
8718		"		"					"		Lunar Disc
8719		"		"					"		"
8720		"		"					"		Earth Crescent
8721		"		"					"		"
8722		"		"					"		Lunar Disc
8723		"		"					"		"
8724		"		"					"		"
8725		"		"					"		Earth Crescent
8726		"		"					"		"

## MAGAZINE N

Frames AS13-58-8456 through 8481

This short magazine of 70-mm CEX (SO-368) film consists of 26 frames, taken with a 250-mm lens, showing the separated command service module (CSM). The quality of the photography is fair and shows the service module as it slowly turns around and end-over-end.

**Page Intentionally Left Blank**

**APOLLO 13 PHOTOGRAPHY**  
 Magazine (N) AS13- 58 Film 70mm CEX (SO 368)  
 Time Reference — GET — = GMT —

Frame No.	Rev. No.	Camera f Length	Approx. Photo Scale	Principal Point		Approx. Tilt Data	Fwd. O/L	Approx Sun Angle	Photo Quality	Photo Index Area	Description
				Lat	Long						
8456		250mm		Not Plottable					Fair		Sequence of Photographs of the
8457		250mm		Not Plottable					Fair		Separated Service Module as it
8458		250mm		Not Plottable					Fair		Slowly Turns From End to Side
8459		250mm		Not Plottable					Fair		To The Other Side
8460		250mm		Not Plottable					Fair		"
8461		250mm		Not Plottable					Fair		"
8462		250mm		Not Plottable					Fair		"
8463		250mm		Not Plottable					Fair		"
8464		250mm		Not Plottable					Fair		"
8465		250mm		Not Plottable					Fair		"
8466		250mm		Not Plottable					Fair		"
8467		250mm		Not Plottable					Fair		"
8468		250mm		Not Plottable					Fair		"
8469		250mm		Not Plottable					Fair		"
8470		250mm		Not Plottable					Fair		"
8471		250mm		Not Plottable					Fair		"

II.43



**APOLLO 13 PHOTOGRAPHY**  
 Magazine ( N ) ASI3- 58 Film 70mm CEX (SO 368)  
 Time Reference — GET \_\_\_\_\_ = GMT \_\_\_\_\_

Frame No.	Rev. No.	Camera f Length	Approx. Photo Scale	Principal Point		Approx. Tilt Data	Fwd. O/L	Approx Sun Angle	Photo Quality	Photo Index Area	Description
				Lat	Long						
8472		250mm		Not Plottable					Good		(cont.) Sequence of Photographs
8473		250mm		Not Plottable					Good		of the Separated Service Module
8474		250mm		Not Plottable					Good		as it Slowly Turns From End to
8475		250mm		Not Plottable					Good		Side to the Other End
8476		250mm		Not Plottable					Good		"
8477		250mm		Not Plottable					Good		"
8478		250mm		Not Plottable					Good		"
8479		250mm		Not Plottable					Good		"
8480		250mm		Not Plottable					Good		"
8481		250mm		Not Plottable					Good		"

II.44

## MAGAZINE R

Frames AS13-59-8482 through 8576

This black and white Panatomic-X (3400) magazine contains frames taken immediately before and immediately after the separation of the command service module (CSM) and jettison of the lunar module. The general quality of the imagery is fair.

The magazine sequence begins inside the command module, with photographs of Astronauts Haise and Swigert and of portions of the instrument panel.

There is a long sequence showing the separation of the CSM and the command module, with the earth crescent seen at first, then the separated CSM with the lunar disc in the distant background.

The final sequence is of the lunar module beginning its separation from the command module, becoming separated, and gradually falling behind.

**Page Intentionally Left Blank**

**APOLLO 13 PHOTOGRAPHY**  
 Magazine ( R ) AS13- 59 Film 70mm BW (3400)  
 Time Reference — GET — = GMT —

Frame No.	Rev. No.	Camera f Length	Approx. Photo Scale	Principal Point		Approx. Tilt Data	Fwd. O/L	Approx Sun Angle	Photo Quality	Photo Index Area	Description
				Lat	Long						
8482		80mm		Not Plottable					Blurred		Interior of Command Module. Black & White
8483		80mm		Not Plottable					Poor		Astronaut Haise in Command Module
8484		80mm		Not Plottable					Blurred		Astronaut Swigert in Command Module
8485		80mm		Not Plottable					Fair		Interior of Command Module
8486		80mm		Not Plottable					Fair		Showing Portion of Panel
8487		80mm		Not Plottable					Fair		and Astronaut.
8488		80mm		Not Plottable					Fair		"
8489		80mm		Not Plottable					Fair		"
8490		80mm		Not Plottable					Fair		"
8491		80mm		Not Plottable					Fair		"
8492		250mm		Not Plottable					Fair		Earth Crescent
8493		250mm		Not Plottable					Fair		Earth Crescent
8494		250mm		Not Plottable					Fair		Earth Crescent
8495		250mm		Not Plottable					Fair		Earth Crescent
8496		250mm		Not Plottable					Fair		Earth Crescent
8497		250mm		Not Plottable					Fair		Earth Crescent

II.47

## APOLLO 13 PHOTOGRAPHY

Magazine (R) AS13-59 Film 70mm BW (3400)

Time Reference — GET — = GMT —

Frame No.	Rev. No.	Camera f Length	Approx. Photo Scale	Principal Point		Approx. Tilt Data	Fwd. O/L	Approx Sun Angle	Photo Quality	Photo Index Area	Description
				Lat	Long						
8498		250mm		Not Plottable					Fair		Earth Crescent
8499		250mm		Not Plottable					Fair		Earth Crescent
8500		250mm		Not Plottable					Fair		After Separation of Service Module, With Moon in Distant Background and Command Module in Foreground
8501		250mm		Not Plottable					Fair		"
8502		250mm		Not Plottable					Fair		Edge of Command Module
8503		250mm		Not Plottable					Fair		Edge of Command Module
8504		250mm		Not Plottable					Fair		Edge of Command Module
8505		250mm		Not Plottable					Fair		Edge of Command Module With Small Lunar Disc in Background.
8506		250mm		Not Plottable					Fair		Edge of Command Module With Small Lunar Disc in Background
8507		250mm		Not Plottable					Fair		Edge of Command Module With Small Lunar Disc in Background
8508		250mm		Not Plottable					Fair		Portion of Service Module
8509		250mm		Not Plottable					Fair		Edge of Command Module With Moon in Background
8510		250mm		Not Plottable					Fair		Edge of Command Module With Moon in Background
8511		250mm		Not Plottable					Fair		Edge of Command Module With Moon in Background
8512		250mm		Not Plottable					Fair		Command Module and Separated Service Module With Moon in Background
8513		250mm		Not Plottable					Fair		Background

11.48

**APOLLO 13 PHOTOGRAPHY**  
 Magazine ( R ) AS13-59 Film 70mm BW (3400)  
 Time Reference — GET — = GMT —

Frame No.	Rev. No.	Camera f Length	Approx. Photo Scale	Principal Point		Approx. Tilt Data	Fwd. O/L	Approx Sun Angle	Photo Quality	Photo Index Area	Description
				Lat	Long						
8514		250mm		Not Plottable					Fair		Command Module and Separated Service Module With Moon in Background
8515		250mm		Not Plottable					Fair		Command Module and Separated Service Module With Moon in Background
8516		250mm		Not Plottable					Fair		Command Module and Separated Service Module With Moon in Background
8517		250mm		Not Plottable					Fair		Service Module and Distant Moon
8518		250mm		Not Plottable					Fair		Service Module and Distant Moon
8519		250mm		Not Plottable					Fair		Service Module and Distant Moon
8520		250mm		Not Plottable					Fair		Service Module and Distant Moon
8521		250mm		Not Plottable					Fair		Service Module and Distant Moon
8522		250mm		Not Plottable					Fair		Service Module and Distant Moon
8523		250mm		Not Plottable					Fair		Service Module and Distant Moon
8524		250mm		Not Plottable					Fair		Service Module and Distant Moon
8525		250mm		Not Plottable					Fair		Service Module and Distant Moon
8526		250mm		Not Plottable					Fair		Service Module and Distant Moon
8527		250mm		Not Plottable					Fair		Service Module and Distant Moon
8528		250mm		Not Plottable					Fair		Service Module and Distant Moon
8529		250mm		Not Plottable					Fair		Service Module and Distant Moon

II.49

## APOLLO 13 PHOTOGRAPHY

Magazine ( R ) AS13-59 Film 70mm BW (3400)

Time Reference — GET — = GMT —

Frame No.	Rev. No.	Camera f Length	Approx. Photo Scale	Principal Point		Approx. Tilt Data	Fwd. O/L	Approx Sun Angle	Photo Quality	Photo Index Area	Description
				Lat	Long						
8530		250mm		Not Plottable					Fair		Service Module and Distant Moon
8531		250mm		Not Plottable					Fair		Service Module and Distant Moon
8532		250mm		Not Plottable					Fair		Service Module and Distant Moon
8533		250mm		Not Plottable					Fair		Service Module and Distant Moon
8534		250mm		Not Plottable					Fair		Service Module and Distant Moon
8535		250mm		Not Plottable					Fair		Service Module and Distant Moon
8536		250mm		Not Plottable					Fair		Service Module and Distant Moon
8537		250mm		Not Plottable					Fair		Service Module and Distant Moon
8538		250mm		Not Plottable					Fair		Service Module and Distant Moon
8539		250mm		Not Plottable					Fair		Service Module and Distant Moon
8540		250mm		Not Plottable					Fair		Service Module and Distant Moon
8541		250mm		Not Plottable					Fair		Service Module and Distant Moon
8542		250mm		Not Plottable					Fair		Service Module and Distant Moon
8543		250mm		Not Plottable					Fair		Service Module and Distant Moon
8544		250mm		Not Plottable					Fair		Service Module and Distant Moon
8545		250mm		Not Plottable					Fair		Service Module and Distant Moon

11.50

**APOLLO 13 PHOTOGRAPHY**  
 Magazine (R) AS13- 59 Film 70mm BW (3400)  
 Time Reference — GET — = GMT —

Frame No.	Rev. No.	Camera f Length	Approx. Photo Scale	Principal Point		Approx. Tilt Data	Fwd. O/L	Approx Sun Angle	Photo Quality	Photo Index Area	Description
				Lat	Long						
8546		250mm		Not Plottable					Fair		Service Module and Distant Moon
8547		250mm		Not Plottable					Fair		Service Module and Distant Moon
8548		250mm		Not Plottable					Fair		Service Module and Distant Moon
8550		250mm		Not Plottable					Fair		Beginning the Sequence of
8551		250mm		Not Plottable					Fair		Separation of the Lunar
8552		250mm		Not Plottable					Fair		Module From the Command Module
8553		250mm		Not Plottable					Fair		"
8554		250mm		Not Plottable					Fair		"
8555		250mm		Not Plottable					Fair		"
8556		250mm		Not Plottable					Fair		"
8557		250mm		Not Plottable					Fair		"
8558		250mm		Not Plottable					Fair		"
8559		250mm		Not Plottable=					Fair		"
8560		250mm		Not Plottable					Fair		"
8561		250mm		Not Plottable					Fair		"
8562		250mm		Not Plottable					Fair		"



**APOLLO 13 PHOTOGRAPHY**  
 Magazine (R) ASI3-59 Film 70mm BW (3400)  
 Time Reference — GET \_\_\_\_\_ = GMT \_\_\_\_\_

Frame No.	Rev. No.	Camera f Length	Approx. Photo Scale	Principal Point		Approx. Tilt Data	Fwd. O/L	Approx Sun Angle	Photo Quality	Photo Index Area	Description
				Lat	Long						
8563		250mm		Nct	Plottable				Fair		Sequence of Separation of LM
8564		250mm		Nct	Plottable				Fair		From the CM
8565		250mm		Nct	Plottable				Fair		"
8566		250mm		Nct	Plottable				Fair		"
8567		250mm		Nct	Plottable				Fair		"
8568		250mm		Nct	Plottable				Fair		"
8569		250mm		Nct	Plottable				Fair		"
8570		250mm		Nct	Plottable				Fair		"
8571		250mm		Nct	Plottable				Fair		"
8572		250mm		Nct	Plottable				Fair		"
8573		250mm		Nct	Plottable				Fair		"
8574		250mm		Nct	Plottable				Fair		Lunar Module Falling Behind
8575		250mm		Nct	Plottable				Fair		After Separation
8576		250mm		Nct	Plottable				Fair		"

## Apollo 13 Sequence Photography (16-mm)

### MAGAZINES A, FF, GG, K, and AA

Magazines A, FF, GG, K, and AA are 16-mm color (SO-368) sequence photography of the interiors of the CM and LM, the damaged service module, distant earth and moon shots, and the astronauts. The quality of the photography ranges from good to poor.

Magazine A was taken during translunar coast (TLC) and portrays the LM and CSM docking. Magazine FF was taken during TEC and shows the damaged command service module and distant moon shots. Magazine GG includes photography of the CM interior, the astronauts, and distant earth and moon shots. Magazine K contains photography of the astronauts and the interiors of the CM and LM. Magazine AA shows the astronauts and the interior of the LM.

**Page Intentionally Left Blank**

**APOLLO 13 SEQUENCE PHOTOGRAPHY (16mm)**

MAG: A-SN1135

FILM: (S0-368)

LENS 18mm

[illegible]

## II.55

**APOLLO 13 SEQUENCE PHOTOGRAPHY (16mm)**

MAG: FF/SN115/ FILM: S0-368

LENS 18mm

[illegible]

II.56

**APOLLO 13 SEQUENCE PHOTOGRAPHY (16mm)**

MAG: GG/SN 1038/      FILM: S0-368

LENS 18mm

[illegible]

II.57

**APOLLO 13 SEQUENCE PHOTOGRAPHY (16mm)**

MAG: K/SN 1030 FILM: S0-368

LENS 18mm

[illegible]

## II.5.8

**APOLLO 13 SEQUENCE PHOTOGRAPHY (16mm)**

MAG: AA/SN/142      FILM: SO-368

LENS 18mm

[illegible]


11.59



# PHOTO INDEX AREA LOCATION DIAGRAM

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION  
LUNAR EARTH SIDE CHART


II 60





# PHOTO INDEX AREA LOCATION DIAGRAM

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION  
LUNAR FAR SIDE CHART







**PART III**

**APOLLO 13 PHOTOGRAPHIC CATALOG**



**NATIONAL SPACE SCIENCE DATA CENTER**

**NATIONAL AERONAUTICS AND SPACE ADMINISTRATION • GODDARD SPACE FLIGHT CENTER, GREENBELT, MD.**

Part III

APOLLO 13 PHOTOGRAPHIC CATALOG

Prepared by

Mapping Sciences Laboratory  
Manned Spacecraft Center  
National Aeronautics and Space Administration  
Houston, Texas 77058

Published by

National Space Science Data Center  
Goddard Space Flight Center  
National Aeronautics and Space Administration  
Greenbelt, Maryland 20771

## INTRODUCTION

This catalog contains proof prints of 70-mm photographs taken during the Apollo 13 mission. Only photographs of the earth and moon are included; operational and damage assessment photographs have been deleted.

In this catalog, the photographs have been sorted by magazine and by frame number. For example, in AS13-60-8577, AS13 indicates that the photograph is part of the Apollo 13 mission, 60 is the magazine number, and 8577 is the frame number. This numbering scheme is being used for all Apollo missions. In addition, the photographs have been placed so that north is at the top of each page.

This catalog is designed to be used in conjunction with the section on 70-mm photography in part II of this Apollo 13 data package. The information in this section makes it possible to locate the area covered by each frame.

NSSDC will provide reproduction support to individuals and organizations only when the data requested are needed for specific scientific research projects or for use in college-level science courses, in that order. The current policy in satisfying such requests is to furnish limited quantities of lunar reproductions without charge. Nominal charges will be imposed for larger orders. Individuals or organizations that wish to obtain Apollo 13 photographic reproductions for purposes other than use in research projects or college-level science courses should address their requests to:

Public Information Division  
Code FP  
National Aeronautics and Space Administration  
Washington, D.C. 20546


Printed materials to satisfy general information requests are also available from this division. The section on Ordering Procedures in the Data Users' Note for Apollo 13 (Part I) provides more specific instructions on ordering Apollo photography.

The Data Center wishes to thank Mr. James H. Sasser, Chief, Mapping Sciences Laboratory, Manned Spacecraft Center, for providing the original layout pages from which this catalog has been prepared. The work in preparing these pages represents the combined efforts of Mr. Robert Musgrove, Mr. Gary Gutschewski, and Mr. Andrew Patteson, Mapping Sciences Laboratory, and the personnel of Lockheed Electronics Company/Mapping Sciences Department. The document preparation effort at NSSDC was under the direction of Mr. Arthur T. Anderson.


MAGAZINE

**L**


AS13-60-8577 thru AS13-60-8726




AS 13-60-8577




AS 13-60-8578



13-60-8579 thru 13-60-8581  
OMITTED  
S-IV-B W/LM  
PRE-DOCKING



13-60-8582 thru 13-60-8584  
OMITTED  
LM STOWAGE AREA IN S-IV-B  
POST-DOCKING




13-60-8585 thru 13-60-8587  
OMITTED  
DISTANT S-IV-B



AS 13-60-8588





AS 13-60-8589



AS 13-60-8590



AS 13-60-8591



AS 13-60-8592



AS 13-60-8593



AS 13-60-8594





AS 13-60-8595




AS 13-60-8596




AS 13-60-8597



AS13-60-8598




AS13-60-8599




AS 13-60-8600




AS 13-60-8601




AS 13-60-8602



AS 13-60-8603




AS 13-60-8604




AS 13-60-8605




AS 13-60-8606



AS 13-60-8607



AS 13-60-8608



AS 13-60-8609



AS 13-60-8610



AS 13-60-8611



AS 13-60-8612




AS13-60-8613



AS 13-60-8614




AS13-60-8615



AS 13-60-8616




AS13-60-8617



AS 13-60-8618







AS 13-60-8619




AS 13-60-8620



AS 13-60-8621




AS 13-60-8622




AS 13-60-8623




AS 13-60-8624




AS13-60-8625




AS 13-60-8626



AS13-60-8627



AS 13-60-8628




AS 13-60-8629




AS13-60-8630




AS 13-60-8631




AS 13-60-8632




AS 13-60-8633



AS 13-60-8634



AS 13-60-8635




AS 13-60-8636







AS 13-60-8637




AS 13-60-8638




AS 13-60-8639



AS 13-60-8640




AS 13-60-8641




AS 13-60-8642





AS13-60-8643




AS13-60-8644




AS13-60-8645




AS13-60-8646




AS13-60-8647




AS13-60-8648




AS 13-60-8649




AS 13-60-8650




AS 13-60-8651



AS 13-60-8652




AS 13-60-8653




AS 13-60-8654




AS 13-60-8655



AS 13-60-8656




AS 13-60-8657



AS 13-60-8658




AS 13-60-8659




AS 13-60-8660







AS13-60-8661




AS 13-60-8662




AS13-60-8663



AS13-60-8664




AS13-60-8665




AS 13-60-8666



AS13-60-8667



AS13-60-8668




AS13-60-8669



AS 13-60-8670



AS13-60-8671




AS 13-60-8672




AS 13-60-8673



AS13-60-8674




AS 13-60-8675



AS13-60-8676



AS13-60-8677



AS 13-60-8678






AS 13-60-8679




AS13-60-8680



AS 13-60-8681




AS13-60-8682



AS 13-60-8683



AS13-60-8684



AS 13-60-8685



AS 13-60-8686




AS 13-60-8687



AS 13-60-8688




AS 13-60-8689



AS 13-60-8690






AS13-60-8691



AS13-60-8692




AS 13-60-8693



AS13-60-8694



AS 13-60-8695




AS 13-60-8696



AS13-60-8697



AS13-60-8698



AS13-60-8699



AS13-60-8700



AS13-60-8701



AS13-60-8702



AS 13-60-8703




AS 13-60-8704




AS 13-60-8705




AS 13-60-8706




AS 13-60-8707



AS 13-60-8708




AS13-60-8709



AS13-60-8710



AS13-60-8711



AS13-60-8712



AS13-60-8713




AS13-60-8714






AS13-60-8715




AS13-60-8716




AS13-60-8717




AS13-60-8718



AS13-60-8719



AS13-60-8720



AS13-60-8721



AS13-60-8722



AS13-60-8723



AS13-60-8724



AS13-60-8725




AS 13-60-8726


# MAGAZINE




AS13-61-8727 thru AS13-61- 8879




AS 13- 61-8727




AS13- 61-8728




AS13-61-8729



AS13-61-8730



AS 13- 61-8731



AS 13- 61-8732






AS 13-61-8733



AS 13-61-8734



AS 13-61-8735



AS 13-61-8736




AS 13-61-8737



AS 13-61-8738



AS 13-61-8739




AS 13-61-8740




AS 13-61-8741




AS 13-61-8742




AS 13-61-8743




AS 13-61-8744




AS13-61-8745



AS13-61-8746




AS13-61-8747



AS13-61-8748




AS13-61-8749



AS13-61-8750



AS13-61-8751




AS13-61-8752



AS13-61-8753



AS13-61-8754




AS13-61-8755




AS13-61-8756







AS13-61-8757




AS13-61-8758




AS13-61-8759



AS13-61-8760




AS13-61-8761




AS13-61-8762




AS 13-61-8763



AS 13-61-8764




AS 13-61-8765



AS 13-61-8766



AS 13-61-8767




AS 13-61-8768




AS13-61-8769




AS13-61-8770



AS13-61-8771




AS13-61-8772



AS13-61-8773



AS13-61-8774



AS 13-61-8775




AS 13-61-8776




AS 13-61-8777



AS 13-61-8778



AS 13-61-8779



AS 13-61-8780






AS 13-61-8781



AS 13-61-8782




AS13-61-8783




AS 13-61-8784




AS13-61-8785



AS 13-61-8786




AS 13-61-8787




AS 13-61-8788




AS 13-61-8789




AS 13-61-8790




AS 13-61-8791




AS 13-61-8792



AS13-61-8793



AS 13-61-8794



AS13-61-8795




AS 13-61-8796



AS 13-61-8797




AS 13-61-8798




AS13-61-8799




AS 13-61-8800




AS 13-61-8801



AS 13-61-8802



AS 13-61-8803




AS 13-61-8804






AS13-61-8805




AS13-61-8806




AS13-61-8807



AS 13-61-8808



AS13-61-8809




AS13-61-8810




AS 13-61-8811



AS 13-61-8812




AS 13-61-8813




AS 13-61-8814




AS 13-61-8815



AS 13-61-8816




AS13-61-8817




AS13-61-8818



AS13-61-8819




AS13-61-8820




AS13-61-8821



AS13-61-8822




AS13-61-8823




AS13-61-8824




AS13-61-8825



AS13-61-8826




AS13-61-8827




AS13-61-8828







AS13-61-8829




AS13-61-8830




AS13-61-8831




AS13-61-8832




AS13-61-8833




AS13-61-8834



AS13-61-8835




AS13-61-8836



AS 13-61-8837




AS 13-61-8838




AS13-61-8839




AS13-61-8840




AS 13-61-8841




AS 13-61-8842




AS 13-61-8843




AS 13-61-8844




AS 13-61-8845



AS 13-61-8846



AS 13-61-8847




AS 13-61-8848




AS 13-61-8849



AS 13-61-8850



AS 13-61-8851



AS 13-61-8852







AS 13-61-8853



AS 13-61-8854



AS 13-61-8855



AS 13-61-8856




AS 13-61-8857



AS 13-61-8858



AS 13-61-8859



AS 13-61-8860




AS 13-61-8861




AS 13-61-8862




AS 13-61-8863




AS 13-61-8864




AS 13-61-8865




AS 13-61-8866




AS 13-61-8867




AS 13-61-8868




AS 13-61-8869




AS 13-61-8870




AS 13-61-8871




AS13-61-8872




AS 13-61-8873



AS 13-61-8874



AS 13-61-8875



13-61-8876 thru 13-61-8879  
OMITTED  
SPACECRAFT INTERIOR



MAGAZINE

**JJ**

AS13-62-8880 thru AS13-62-9039


13-62-8880  
OMITTED  
SPACECRAFT INTERIOR




AS 13-62-8881




AS 13-62-8882




AS 13-62-8883




AS 13-62-8884




AS 13-62-8885




AS 13-62-8886





AS 13-62-8887




AS 13-62-8888



AS 13-62-8889



AS 13-62-8893




AS 13-62-8894




AS 13-62-8895




AS 13-62-8896




AS 13-62-8897




AS 13-62-8901




AS 13-62-8902




AS 13-62-8903




AS 13-62-8904



AS 13-62-8905




AS 13-62-8906




AS 13-62-8907






AS 13-62-8908




AS 13-62-8909




AS 13-62-8910




AS 13-62-8911




AS 13-62-8912




AS 13-62-8913




AS 13-62-8914




AS 13-62-8915




AS 13-62-8916



AS 13-62-8917




AS 13-62-8918




AS 13-62-8919






AS 13-62-8920




AS 13-62-8921




AS 13-62-8922




AS 13-62-8923




AS 13-62-8924




AS 13-62-8925





AS 13-62-8926




AS 13-62-8927



AS 13-62-8928




AS 13-62-8933




AS 13-62-8934


13-62-8935 and 13-62-8936  
OMITTED  
SPACECRAFT INTERIOR




AS 13-62-8937



AS 13-62-8938



AS 13-62-8939




AS 13-62-8940



13-62-8941  
OMITTED




AS 13-62-8942




AS 13-62-8943




AS 13-62-8947




AS 13-62-8948




AS 13-62-8949




AS 13-62-8950



AS 13-62-8951




AS 13-62-8952



AS 13-62-8953




AS 13-62-8954




13-62-8955  
OMITTED






AS 13-62-8956




AS 13-62-8957




AS 13-62-8960




AS 13-62-8961





AS 13-62-8962




AS 13-62-8963




AS 13-62-8964



AS 13-62-8966



AS 13-62-8967




AS 13-62-8968







AS 13-62-8969





AS 13-62-8970




AS 13-62-8971




AS 13-62-8972




AS 13-62-8977




AS 13-62-8978




AS 13-62-8979




AS 13-62-8980




AS 13-62-8981




AS 13-62-8982




AS 13-62-8983




AS 13-62-8984





AS 13-62-8985




AS 13-62-8986




AS 13-62-8987




AS 13-62-8991




AS 13-62-8992




AS 13-62-8993




AS 13-62-8994




AS 13-62-8995




AS 13-62-8996




AS 13-62-8997




AS 13-62-8998




AS 13-62-8999




AS 13-62-9000




AS 13-62-9001




AS 13-62-9002









AS 13-62-9006




AS 13-62-9007




AS 13-62-9008




AS 13-62-9009




AS 13-62-9010




AS 13-62-9011




AS 13-62-9012




AS 13-62-9013




AS 13-62-9014



AS 13-62-9015



AS13-62-9016




AS 13-62-9017






AS 13-62-9018




AS 13-62-9019




AS 13-62-9020



AS 13-62-9021



AS 13-62-9022




AS 13-62-9023




AS 13-62-9024



AS 13-62-9025




AS 13-62-9026



AS 13-62-9027



AS 13-62-9028




13-62-9029 thru 13-62-9032  
OMITTED



AS 13-62-9033



AS 13-62-9034



AS 13-62-9035



AS 13-62-9036



AS13-62-9037



AS 13-62-9038

13-62-9039  
OMITTED



# APOLLO MISSION 13 LUNAR PHOTOGRAPHY INDEX



MAGAZINE	FRAMES
JJ	8880 through 9039
L	8577 through 8726

Prepared By  
MAPPING SCIENCES LABORATORY  
SCIENCE & APPLICATIONS DIRECTORATE  
MANNED SPACECRAFT CENTER  
JUNE 1970

